

Constant-Elasticity-of-Substitution Matching Function

Pascal Michailat
<https://pascalmichailat.org/c2/>

Cobb Douglas matching function

$$m(S, B) = \omega S^\alpha B^{1-\alpha}$$

$$m(S, B) > \min(S, B) \text{ if } S \text{ or } B \text{ large}$$

CES matching function

$$m(S, B) = [S^{-r} + B^{-r}]^{-1/r}$$

$$r > 0$$

$$\bullet m(0, B) = m(S, 0) = 0$$

$$\bullet \frac{\partial m}{\partial S} > 0 \quad \frac{\partial m}{\partial B} > 0$$

• CRS

$$\begin{aligned} m(\lambda S, \lambda B) &= [(\lambda S)^{-r} + (\lambda B)^{-r}]^{-1/r} \\ &= [(\lambda^{-r})(S^{-r} + B^{-r})]^{-1/r} \\ &= \lambda [S^{-r} + B^{-r}]^{-1/r} \\ &= \lambda m(S, B) \end{aligned}$$

• Check that $m(S, B) < \min(S, B)$

$$S^{-r} + B^{-r} > S^{-r} \quad (B^{-r} > 0)$$

$$[s^{-\gamma} + B^{-\gamma}]^{-1/\gamma} < (s^{-\gamma})^{-1/\gamma}$$

$$m(s, B) < s$$

$$m(s, B) < B$$

$$m(s, B) < \min(s, B)$$

• Matching elasticity:

$$\eta = \frac{\partial \ln m}{\partial \ln s}$$

$$\eta = \frac{\partial \ln m}{\partial \ln s} = \frac{\partial \ln [s^{-\gamma} + B^{-\gamma}]^{-1/\gamma}}{\partial \ln s}$$

$$= -\frac{1}{\gamma} \frac{\partial \ln (s^{-\gamma} + B^{-\gamma})}{\partial \ln s}$$

$$= -\frac{1}{\gamma} \cdot \left[\frac{\partial \ln s^{-\gamma}}{\partial \ln s} \times \frac{s^{-\gamma}}{s^{-\gamma} + B^{-\gamma}} \right]$$

$$= -\frac{1}{\gamma} \frac{s^{-\gamma}}{s^{-\gamma} + B^{-\gamma}} \cdot (-\gamma)$$

$$\theta = B/s$$

$$\eta = \frac{s^{-\gamma}}{s^{-\gamma} + B^{-\gamma}} = \frac{1}{1 + (\frac{B}{s})^{-\gamma}}$$

$$\eta(\theta) = \frac{1}{1 + \theta^{-\gamma}}$$

$$\cdot \eta(0) = 0$$

$$\eta(1) = 1$$

$$\eta'(1) > 0$$